


EM-4TN EVO Max Payload Dropping System



Payload Drop System-H

Aircraft	MDX/MDX-Pro
Maximum drop weight	0.77 lbs/350 g for MDX
	1.87 lbs/850 g for MDX-Pro
Mount points	4



- | | | |
|-----------------|----------------|-----------------|
| ① Shoulder | ② Strap | ③ Data cable |
| ④ Position hole | ⑤ Unlock stick | ⑥ Position slot |
| ⑦ Mount point | | |


⚠ Notes

- This payload drop system has 4 mount points, and the total weight that is mounted must not exceed the maximum drop weight.
- Ensure that the weight is evenly distributed across both sides of the system.
- Before performing a drop, conduct a simulated test to ensure that the system deploys payloads and operates correctly.


Notes

Install the drop system only when the aircraft is powered off.


1




2




3




4



5A




5B



⚠ Simulated Test

Upon installation, conduct a simulated test to ensure that the system deploys payloads and operates correctly.


6



7



8A



8B



Drop All	Click this icon to drop all payloads at the same time.
	The mount point is locked. Click this icon to drop the payload.
	The mount point does not have any payload.
Time	Countdown to drop.

Notes

- Mount points can be locked or unlocked manually. Before taking off, ensure that the mount points without any payload are unlocked.
 - When deploying at multiple points, try to evenly distribute the payloads located on both sides of the system. When dropping, alternate between left and right to ensure aircraft stability.
-